



Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

Multi Unit Doors

Multi Unit Doors are typically for large volume renovations projects or new construction communities.

They are doors that are engineered to appeal to a variety of end users.

HUD markets are perfect example of these volume type projects.


We have been servicing the HUD market for 35 plus years and have sold over 100,000 doors to this sector.

Markets such as these that experience high traffic and high abuse, demand a door that is not only quality made but our also maintenance free to eliminate cumbersome costs to the housing authorities.

Our trademark Marathon doors are "built to run the distance" and have proved so with many of the authorities that swear by our doors.



[Storm Doors](#)



[Screen Doors](#)



[Security Doors](#)

Trade Shows

See the doors first hand at a local conference.



Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

3800 Series

Storm Doors are designed to provide a barrier of protection to the tenant as well as for the primary door. It protects against weather and other elements.

Our MARATHON Storm Doors feature our patented self storing window unit. The glass panels slide up and down to reveal a ventilating screen. Allowing the tenant to ventilate without the cumbersome need to remove and store a bulky glass panel.

The self storing unit also features a stainless steel screen which allows the tenant to ventilate while still maintaining the utmost security. Stainless steel screen is the ultimate screening material for not only security reasons but maintenance as well.

This 3800 Series Storm Doors feature a Lo Kick Panel to optimize the tenants view. The kick panel provides a place for small children and pets to push upon without damaging or interfering with the doors elf storing unit. The kick panel measures approx 17.75" from bottom of the door to the beginning of the glass.



Storm Doors



Design Options

The 3800 Series Can be designed with different lockset types, pictured below.

LOCKS



2 Way Lock

Push Button Lock Image
Push Button Lock



Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

4800 Series

Screen Doors are designed to provide a barrier of protection to the tenant as well as for the primary door. The difference from a storm door is that they provide limited protection against weather due their screen only construction.


Screen Doors are among the most economically priced doors, making them a popular choice among the HUD market.

The patented MARATHON Screen Doors are the strongest maintenance free door on the market today. With its solid 16 gauge tubular steel construction, it is engineered to handle the wear and tear that public housing offers.

This 4800 Series Screen Doors feature our pocketed stainless steel screening at a large 32" top panel to maximize tenant visibility. Stainless steel screening allows the tenant to leave their primary door open and ventilate without the vulnerability factor. Stainless steel is the utmost security measure.

This series allows you to pick from many different design options, to customize a door that works with your community.

Screen Doors



(Actual Photo Coming Soon)

Design Options

The 4800 Series Can be designed with any of these different options. Pick the lockset type and kick panel stamp you desire.




Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

Kick Panels



Crosskick



Provincial



Flat



Double

LOCKS



2 Way Lock

Push Button Lock Image
Push Button Lock



Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

Fusion Series

Fusing Security, Design, and Functionality in the Ultimate All-In-One Door



[Fusion Specifications](#)

[Measuring & Ordering Guides](#)

- ° Top & Bottom Self Storing Glass Double Ventilation
- ° 12 Different Design Options
- ° Stainless Steel Screens
- ° Universal Locket Keyable to The Entry Door
- ° 16 Gauge Tubular Steel Frame
- ° Zinc Primer Powder Coat 1700 Plus Hrs of Salt Testing
- ° Powder Coated Colored Finish Coat Over 150 Color Options
- ° Lifetime Master Frame Warranty

Security Doors


Screen Doors

Storm Doors


Security Doors




Design Options




Fusion 100




Fusion 106




Fusion 113




Fusion 114




Fusion 115




Fusion 118




Fusion 123



Fusion 150




Fusion 580



Fusion E-8



Door Measuring



Directions:

1. Measure opening width between brick moldings. (NOT BETWEEN JAMB!!)
2. Measure opening height from bottom of overhead brick molding to top of threshold.
3. Measure existing door-knob height from threshold.
4. Determine door swing. Standing outside looking in, if the hinge is on the left it is a left hinge, if it is on the right it is a right hinge.

Width: _____

Height: _____

Knob Height: _____

Door Swing: _____

All Weather Steel Products, LLC
704 South 400 West
Salt Lake City, UT 84101
Toll Free: 1-800-328-8636
Fax: (801) 328-8645



Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products

Colors



We have a wide variety of color choices to fit any home. From textured to smooth mattes, you will be sure to find something to suite your tastes.

The colors displayed serve only as electronic representations, hence variation may occur. Due to these variations, these color samples cannot be guaranteed as exact matches. If you are attempting to match an existing color we suggest consulting with your dealer, visiting a showroom, or requesting an actual sample.

Standard Colors



White



Black



Bronze

Custom Colors



Pasta



Desert Beige

Textured Colors





Products Built to Run the Distance



All Weather Steel Products, LLC
Steel Security Products



All of our products are painted with a powder coat finish. Powder coating is an electrostatically charged polyurethane resin that is applied to a surface and bonded at high temperatures.

Surfaces are chemically treated, rinsed, and cured to receive our Zinc primer coat. The Zinc primer coat aids in the prevention of rust and other aging elements. The final color coat is applied and baked in a 450 degree oven. This 3 step process ensures a product prepped with the most up to date technologies in the prevention of rust and oxidation. Along with this we recommend you thoroughly clean and wax your door twice a year to prolong its life.

Rust



Speckled Bronze

Clay Pot



Java

Mint Speckle



Pompeian Gold

Jade



Moondust



Speckled Pearl

Special RAL Colors



RAL Color Chart 190 Smooth Colors

Go To: http://www.allweatherdoors.com/INFO_Colors.aspx **for RAL Color Chart**